

MALME SUPPLY INC

www.malmesupplyinc.com


2021 In season Program




and Farm Supplies

Demand the best.....

Effective May 1, 2021



**CALL FOR
IN SEASON
DISCOUNTS
1-800-437-4604**





Fans

Caldwell Fans

A name you can depend on.

2 year
Limited warranty

If you don't see the fan you need listed, call and we will give you a price for that fan.



Axial Fans 3450 RPM

| Part Number | Dia. | HP | PH | Control | Volts | Wt. | Price |
|-------------|------|------|----|---------|---------|----------|---------|
| 9850008 | 12" | .75 | 1 | N | 115/230 | 55 lbs. | \$785 |
| 9102136 | 12" | 1 | 1 | N | 115/230 | 56 lbs. | \$826 |
| 9747485 | 14" | 1 | 1 | N | 115/230 | 59 lbs. | \$867 |
| 9850032 | 18" | 1.5 | 1 | N | 230 | 109 lbs. | \$1,086 |
| 9744698 | 18" | 3 | 1 | N | 230 | 143 lbs. | \$1,223 |
| 9850065 | 18" | 3 | 1 | Y | 230 | 150 lbs. | \$1,546 |
| 9744656 | 18" | 3 | 3 | N | 230 | 143 lbs. | \$1,200 |
| 9850073 | 18" | 3 | 3 | Y | 230 | 150 lbs. | \$1,511 |
| 9850099 | 24" | 5 | 1 | Y | 230 | 208 lbs. | \$2,194 |
| 9850149 | 24" | 10 | 1 | Y | 230 | 250 lbs. | \$2,492 |
| 9850172 | 28" | 12.5 | 1 | Y | 230 | 297 lbs. | \$3,428 |

ORDER WORKSHEET

AXIAL FANS

| | |
|---------|-------|
| 9850008 | _____ |
| 9102136 | _____ |
| 9747485 | _____ |
| 9850032 | _____ |
| 9744698 | _____ |
| 9850065 | _____ |
| 9744656 | _____ |
| 9850073 | _____ |
| 9850099 | _____ |
| 9850149 | _____ |
| 9850172 | _____ |

IN-LINE FANS

| | |
|---------|-------|
| 9778464 | _____ |
| 9778472 | _____ |
| 9779314 | _____ |
| 9779348 | _____ |
| 9783951 | _____ |
| 9778332 | _____ |
| 9779413 | _____ |
| 9774828 | _____ |

CENTRIFUGAL FANS

| | |
|---------|-------|
| 9743674 | _____ |
| 9759712 | _____ |
| 9401216 | _____ |
| 9789826 | _____ |
| 9743690 | _____ |
| 9754135 | _____ |
| 9736454 | _____ |
| 9736462 | _____ |

In-Line Fans 3450 RPM

| Part Number | Dia. | HP | PH | Control | Volts | Wt. | Price |
|-------------|------|-----|----|---------|-------|----------|---------|
| 9778464 | 18" | 3 | 1 | Y | 230 | 148 lbs. | \$1,905 |
| 9778472 | 18" | 3 | 3 | Y | 230 | 148 lbs. | \$2,004 |
| 9779314 | 24" | 5 | 1 | Y | 230 | 230 lbs. | \$2,577 |
| 9779348 | 24" | 5 | 3 | Y | 230 | 212 lbs. | \$2,466 |
| 9783951 | 24" | 7.5 | 1 | Y | 230 | 249 lbs. | \$2,967 |
| 9778332 | 24" | 7.5 | 3 | Y | 230 | 245 lbs. | \$2,687 |
| 9779413 | 28" | 10 | 1 | Y | 230 | 283 lbs. | \$3,002 |
| 9774828 | 28" | 15 | 3 | Y | 230 | 339 lbs. | \$3,587 |



Centrifugal Fans 1750 RPM

| Part Number | Dia. | HP | PH | Control | Volts | Type | Wt. | Price |
|-------------|--|-----|----|---------|-------|------|----------|---------|
| 9743674 | 24" | 5 | 1 | Y | 230 | TEFC | 457 lbs. | \$4,177 |
| 9759712 | 24" | 7.5 | 1 | Y | 230 | TEFC | 492 lbs. | \$4,606 |
| 9401216 | 27" | 10 | 1 | Y | 230 | TEFC | 671 lbs. | \$5,190 |
| 9789826 | 27" | 15 | 1 | Y | 230 | ODP | 695 lbs. | \$6,708 |
| 9743690 | 30" | 20 | 3 | Y | 230 | TEFC | 704 lbs. | \$5,826 |
| 9754135 | 30" | 25 | 3 | Y | 230 | TEFC | 835 lbs. | \$6,324 |
| 9736454 | Trans. for 5 - 15 HP, Size: 22" x 33" x 52" x 11 3/4" | | | | | | 102 lbs. | \$751 |
| 9736462 | Trans. for 20 - 25 HP, Size: 24 1/2" x 36" x 66" x 11 3/4" | | | | | | 175 lbs. | \$1,176 |

Prices subject to change without notice.

www.malmsupplyinc.com



Malme Supply Inc. 800-437-4604
 1601 7th Ave N 701-281-1980
 Fargo, ND 58102 701-281-1990 Fax







Channel Lock Floors

Grain Bin Floors - Perforated Channel Lock (20 Gauge)

NOTE:
Call for other size bins not listed.



| Model Number | Bin Dia. | Floor Type Standard - .090 Fine - .050 | Floor Wt. Lbs. | No. of Supports | No. of Flashing | Price (Floor Only) |
|--------------|----------|--|----------------|-----------------|-----------------|--------------------|
| 9738088 | 18' | Standard | 623 | 122 | 72 | \$2,019 |
| 9757880 | 18' | Fine | 615 | 122 | 72 | \$2,200 |
| 9738112 | 21' | Standard | 858 | 168 | 84 | \$2,663 |
| 9757922 | 21' | Fine | 849 | 168 | 84 | \$2,912 |
| 9738138 | 24' | Standard | 1122 | 208 | 96 | \$3,383 |
| 9757955 | 24' | Fine | 1108 | 208 | 96 | \$3,707 |
| 9738161 | 27' | Standard | 1432 | 262 | 108 | \$4,230 |
| 9757989 | 27' | Fine | 1416 | 262 | 108 | \$4,645 |
| 9738187 | 30' | Standard | 1928 | 316 | 120 | \$5,161 |
| 9758003 | 30' | Fine | 1753 | 316 | 120 | \$5,677 |
| 9744797 | 33' | Standard | 2151 | 372 | 132 | \$6,365 |
| 9758029 | 33' | Fine | 2128 | 372 | 132 | \$6,832 |
| 9744813 | 36' | Standard | 2572 | 450 | 144 | \$7,586 |
| 9758227 | 36' | Fine | 2566 | 450 | 144 | \$8,637 |
| 9738278 | 42' | Standard | 3512 | 600 | 168 | \$10,296 |
| 9759142 | 42' | Fine | 3476 | 600 | 168 | \$11,781 |
| 9735811 | 48' | Standard | 4600 | 827 | 192 | \$13,186 |
| 9735829 | 48' | Fine | 4553 | 827 | 192 | \$14,898 |



NOTE: Number of supports listed are for 26' grain depth only. Supports and Flashing are extra when figuring price.

Call for number of supports needed for other grain depths.

| Model Number | Description | Ship Wt. Lbs. | Price | Qty-Order |
|--------------|--------------|---------------|-------|-----------|
| 9140644 | 12" Support | 2.5 | \$8 | |
| 9779181 | 13" Support | 3 | \$8 | |
| 9736520 | 10" Flashing | 1.5 | \$7 | |









www.malmesupplyinc.com











ORDER WORKSHEET

- 9738088 _____
- 9757880 _____
- 9738112 _____
- 9757922 _____
- 9738138 _____
- 9757955 _____
- 9738161 _____
- 9757989 _____
- 9738187 _____
- 9758003 _____
- 9744797 _____
- 9758029 _____
- 9744813 _____
- 9758227 _____
- 9738278 _____
- 9759142 _____
- 9735811 _____
- 9735829 _____
- 9140644 _____
- 9736520 _____

AERATION DUCT and FLUSH FLOOR



| AERATION SYSTEMS 12" Round Duct Components And Accessories | | | | |
|---|-----------------|--|-----|-------|
| | Number | Description | Wt. | Price |
|  | 9852475 | 12" Flanged wall Inlet Adaptor Slips into 12" Fan | 11 | \$107 |
|  | 9852517 | 12" Solid Duct 4' Long 22 Ga. Interlocking Seam | 16 | \$68 |
|  | 9852525 | 12" Perforated Duct 4' Long 20 Ga. Interlocking Seam | 18 | \$86 |
|  | 9852541 (Black) | 12" Reinforcement Ring (Two per 4' Length of Duct) | 3 | \$22 |
|  | 9852467 | 12" Solid End Cap | 2 | \$21 |
|  | 9852558 | 12" Perforated End Cap | 2 | \$14 |
|  | 9733964 | 12" Y - Box | 26 | \$399 |
|  | 9770339 | 12" 4 Way Cross | 21 | \$418 |

| AERATION SYSTEMS 18" Round Duct Components And Accessories | | | | |
|---|--------------------|---|-----|-------|
| | Number | Description | Wt. | Price |
|  | 9852624 | 18" Flanged wall Inlet Adaptor Slips into 18" Fan | 21 | \$213 |
|  | 9852657 | 18" Solid Duct 4' Long 22 Ga. Interlocking Seam | 24 | \$94 |
|  | 9852665 | 18" Perforated Duct 4' Long 20 Ga. Interlocking Seam | 26 | \$114 |
|  | 9852681 (Aluminum) | 18" Reinforcement Ring (3 Rings per 4' Duct -1 of each color) | 7 | \$29 |
|  | 9852699 (Black) | | | \$29 |
|  | 9852707 (Orange) | | | \$30 |
|  | 9852616 | 18" Solid End Cap | 3 | \$29 |
|  | 9852723 | 18" Perforated End Cap | 3 | \$35 |
|  | 9735472 | 18" Y - Box | 45 | \$507 |
|  | 9735985 | 18" 4 Way Cross | 38 | \$603 |

ORDER WORKSHEET

12" ROUND

- 9852475 _____
- 9852517 _____
- 9852525 _____
- 9852541 _____
- 9852467 _____
- 9852558 _____
- 9733964 _____
- 9770339 _____

18" ROUND


- 9852624 _____
- 9852657 _____
- 9852665 _____
- 9852681 _____
- 9852699 _____
- 9852707 _____
- 9852616 _____
- 9852723 _____
- 9735472 _____
- 9735985 _____

FLUSH FLOOR

- 9853325 _____
- 9853333 _____
- 9853341 _____
- 9853358 _____
- 9853366 _____
- 9853382 _____
- 9853390 _____
- 9853408 _____
- 9853424 _____
- 9853432 _____
- 9853457 _____

NOTES:

Fan should be supported when using Standard transitions. It can be suspended in air when using the raised transitions. Standard transitions are manufactured with a 12" hole and must be field cut when using a 14" or 18" fan. These systems are designed for grain depth up to 22'.




Flush Floor Aeration

| | Part Number | Description | Wt. (Lbs.) | Price |
|---|-------------|--|------------|-------|
|  | 9853325 | Flush Floor Y | 55 | \$514 |
|  | 9853333 | Y Fan Trans. | 37 | \$480 |
|  | 9853341 | Std. Fan Trans. | 44 | \$521 |
|  | 9853358 | 12" Raised Y Fan Trans. w/Angle Ring Flange | 44 | \$527 |
|  | 9853366 | 18" Raised Y Fan Trans. w/Angle Ring Flange | 45 | \$540 |
|  | 9853382 | 10' Form | 42 | \$135 |
|  | 9853390 | 4' Form | 17 | \$62 |
|  | 9853408 | 2' Form | 8 | \$33 |
|  | 9853424 | Corrugated-Perforated 18 Ga. Floor Sheet 20"x45" | 13 | \$47 |
|  | 9853432 | Corrugated-Solid 18 Ga. Floor Sheet 20"x 45" | 15 | \$47 |
|  | 9853457 | Solid End Plate | 3 | \$16 |



Gas & Electric Heaters

For Axial, In-Line, and Centrifugal Fans.



| Part# | DESCRIPTION | BTU Output | Fan required | Wt. | Price |
|---------|----------------|--|--------------|-----|---------|
| 9157606 | H1015-LPGE-M | 300,000 - 1,750,000 | centrifugal | 219 | \$5,590 |
| 9157614 | H1015-NGE-PE | 300,000 - 1,750,000 | centrifugal | 181 | \$3,389 |
| 9270116 | H18-NGE-PE | 120,000 - 900,000 | axial | 102 | \$2,716 |
| 9114884 | H24-LPGE-M | 250,000 - 2,100,000 | axial | 170 | \$5,299 |
| 9285163 | H24-NGE-PE | 250,000 - 2,100,000 | axial | 134 | \$3,035 |
| 9141524 | HG28-LT-NGE-PE | 40,000 - 700,000 | axial | 148 | \$3,468 |
| 9270181 | H28-LPGE-M | 500,000 - 3,000,000 | axial | 186 | \$5,248 |
| 9285155 | H28-NGE-PE | 500,000 - 3,000,000 | axial | 150 | \$3,051 |
| 9146501 | ILCH18-VPGE | 31,000 - 135,000 | In-line | 86 | \$2,786 |
| 9143212 | ILCH24-VPGE | 31,000 - 135,000 | In-line | 120 | \$2,895 |
| 9143220 | ILCH28-VPGE | 31,000 - 135,000 | In-line | 134 | \$2,861 |
| 9850974 | HTC | Humidistat/Thermostat | All Heaters | 10 | \$595 |
| 9851014 | TC | Thermostat w/Cord Control Setting 40° - 200° | All Heaters | 10 | \$368 |



Caldwell 20" & 30" 1/2 Round Corrugated Duct

| Number | 20" ARCH Description | Wt. | Price |
|---------|-----------------------|-----|-------|
| T1208 | Transition-12" Round | 15 | \$281 |
| T1209 | Transition-18" Round | 27 | \$368 |
| T1202 | Solid End Cap | 4 | \$52 |
| 9739748 | Solid 4' Section | 22 | \$108 |
| 9739730 | Perforated 4' Section | 20 | \$109 |
| T1211 | 4 Way Cross | 20 | \$223 |
| T1212 | Y | 14 | \$174 |

| Number | 30" ARCH Description | Wt. | Price |
|---------|----------------------------------|-----|-------|
| T1801 | Transition-18" Round | 26 | \$330 |
| T1802 | Solid End Cap | 8 | \$71 |
| 9739839 | Solid 4' Section | 30 | \$145 |
| 9739756 | Perforated 4' Section | 28 | \$145 |
| T1811 | 4 WC (req. 1 perf duct & 2 caps) | 54 | \$398 |
| T1815 | Y | 27 | \$258 |

Grain Bin Roof Exhaust Fans -1750 RPM Galvanized

| Model# | Part# | Dia. | HP | PH | Voltage | CFM | WT. | Price |
|------------|---------|------|-----|----|---------|--------|-----|---------|
| RFG-18.51 | 9755306 | 18" | 0.5 | 1 | 115/230 | 4,000 | 104 | \$1,906 |
| RFG-18.53 | 9755314 | 18" | 0.5 | 3 | 230/460 | 4,000 | 106 | \$1,817 |
| RFR24-21NC | 9410530 | 24" | 2 | 1 | 230 | 10,650 | 264 | \$3,287 |
| RFR24-23NC | 9730366 | 24" | 2 | 3 | 230/460 | 10,650 | 254 | \$2,997 |

Chief Temporary Storage Rings



Package includes 42" Titan Chief bin sheets, bolts, angle ring, & anchors. **Tarp is Extra.**

Temporary Grain Bin

| Part# | Model Size | Capacity (Bu.) | Bin Wt. (lbs.) | Tarp, Sheets & Bolts wt. (lbs.) | Price (Bin Only) |
|---------|-----------------|----------------|----------------|---------------------------------|------------------|
| 9348134 | One Ring 49'6" | 12,744 | 1,122 | 1,236 | \$2,709 |
| 9348136 | One Ring 74'3" | 36,611 | 2,087 | 2,324 | \$7,294 |
| 9348140 | One Ring 105'2" | 93,391 | 4,480 | 7,503 | \$14,480 |
| 9348135 | Two Ring 49'6" | 18,431 | 2,045 | 2,159 | \$4,234 |
| 9348137 | Two Ring 74'3" | 49,409 | 4,100 | 4,337 | \$12,196 |
| 9348141 | Two Ring 105'2" | 119,074 | 9,103 | 9,552 | \$25,799 |

Temporary Grain Bin Tarps (P86)

| Part# | Size | Tarp Wt. (lb.) | Price |
|-----------|--------|----------------|---------|
| TARP-496 | 49'6" | 114 | \$1,441 |
| TARP-743 | 74'3" | 237 | \$3,014 |
| TARP-1052 | 105'2" | 449 | \$5,673 |

Prices subject to change without notice.



FARM SUPPLIES

**Probe
Hay Tester**




**Baler
Hay Tester**




**MT-PRO
Grain Tester**




| | | |
|---|--|--|
| <p>Model# 07100</p> <p>Features</p> <ul style="list-style-type: none"> • Direct readout for % moisture and temperature. <p>Testing Range</p> <ul style="list-style-type: none"> • 14.4% - 44% moisture. • 32° - 225°F temperature. | <p>Model# 07150</p> <p>Features</p> <ul style="list-style-type: none"> • Direct readout for % moisture while baling hay. <p>Testing Range</p> <ul style="list-style-type: none"> • 8% - 44% moisture. • For use on Square or Round Balers | <p>Model# 08125 (40 Grains)</p> <p>Features</p> <ul style="list-style-type: none"> • Direct readout for % moisture and temperature. <p>Testing Range</p> <ul style="list-style-type: none"> • 5% - 40% moisture. • 32° - 113°F temperature. |
| <u>Model#</u> | <u>Qty Order</u> | <u>Price</u> |
| 07100 | | \$234 |
| 07150 | | \$305 |
| 08125 | | \$269 |





**Farm - Temp™ Series
Grain Temperature
Monitoring System**

Detects hot spots for safe
long-term storage of grain



Use chart on next page to figure cables needed for your bin



| ITEM# | <u>Qty Order</u> | PRICE | DESCRIPTION (includes leadwire & hardware) | #sensors | WT. (lbs.) |
|-------|------------------|-------|---|----------|---------------|
| 16550 | | \$367 | 16' grain temp. cable w/50' | 4 | 4 |
| 19555 | | \$372 | 19' grain temp. cable w/55' | 4 | 4 |
| 22560 | | \$377 | 22' grain temp. cable w/60' | 5 | 4 |
| 25565 | | \$384 | 25' grain temp. cable w/65' | 6 | 4 |
| 28570 | | \$393 | 28' grain temp. cable w/70' | 6 | 5 |
| 31575 | | \$402 | 31' grain temp. cable w/75' | 6 | 5 |
| 34680 | | \$405 | 34' grain temp. cable w/80' | 6 | 5 |
| 37685 | | \$409 | 37' grain temp. cable w/85' | 6 | 5 |
| 40790 | | \$414 | 40' grain temp. cable w/90' | 6 | 6 |
| 43795 | | \$417 | 43' grain temp. cable w/95' | 6 | 6 |
| 60612 | | \$738 | Portable grain temperature reader | - | 3 |

Chart for figuring what cable is needed for your bin


| BIN SIZE (DIA. X EAVE HEIGHT X OFF CENTER OVERALL HEIGHT) | | | BIN SIZE (DIA. X EAVE HEIGHT X OFF CENTER OVERALL HEIGHT) | | |
|---|------------------------|----------------------------------|---|------------------------|----------------------------------|
| CABLE LENGTH | OFF CENTER DISTANCE | EAVE HEIGHT X OVERALL HEIGHT) | CABLE LENGTH | OFF CENTER DISTANCE | EAVE HEIGHT X OVERALL HEIGHT) |
| 16' | 2' | 15x16x20 | 19' | 2' | 30x16x25 |
| 19' | 2' | 15x19x23 | 22' | 2' | 30x18x28 |
| 22' | 2' | 15x21 x25 | 25' | 2' | 30x21x30 |
| 25' | 2' | 15x24x28 | 28' | 2' | 30x24x33 |
| 28' | 2' | 15x27x31 | 31' | 2' | 30x26x36 |
| 16' | 2' | 18x16x21 | 34' | 2' | 30x29x38 |
| 19' | 2' | 18x19x24 | 37' | 2' | 30x32x41 |
| 22' | 2' | 18x21x26 | 22' | 2' | 33x16x26 |
| 25' | 2' | 18x24x29 | 25' | 2' | 33x18x29 |
| 28' | 2' | 18x27x32 | 28' | 2' | 33x21x31 |
| 19' | 2' | 21x16x22 | 31' | 2' | 33x24x34 |
| 22' | 2' | 21x19x25 | 34' | 2' | 33x27x37 |
| 25' | 2' | 21x21x27 | 34' | 2' | 33x29x39 |
| 28' | 2' | 21x24x30 | 37' | 2' | 33x32x42 |
| 31' | 2' | 21x27x33 | 22' | 2' | 36x16x26 |
| 19' | 2' | 24x16x23 | 25' | 2' | 36x19x29 |
| 22' | 2' | 24x19x26 | 28' | 2' | 36x21x31 |
| 25' | 2' | 24x21x28 | 31' | 2' | 36x24x34 |
| 28' | 2' | 24x24x31 | 34' | 2' | 36x27x37 |
| 31' | 2' | 24x27x34 | 34' | 2' | 36x29x39 |
| 34' | 2' | 24x29x36 | 37' | 2' | 36x32x42 |
| 34' | 2' | 24x32x39 | 25' | 2' | 42x16x28 |
| 19' | 2' | 27x16x24 | 28' | 2' | 42x19x31 |
| 22' | 2' | 27x19x27 | 28' | 2' | 42x21x33 |
| 25' | 2' | 27x21x29 | 31' | 2' | 42x24x36 |
| 28' | 2' | 27x24x32 | 34' | 2' | 42x27x39 |
| 31' | 2' | 27x27x35 | 37' | 2' | 42x29x41 |
| 34' | 2' | 27x29x37 | 40' | 2' | 42x32x44 |
| 37' | 2' | 27x32x40 | 25' | 2' | 48x16x30 |
| | | | 28' | 2' | 48x16x33 |
| | | | 31' | 2' | 48x21x35 |
| | | | 34' | 2' | 48x24x38 |
| | | | 37' | 2' | 48x26x41 |
| | | | 40' | 2' | 48x29x43 |
| | | | 43' | 2' | 48x32x46 |

Malme Supply Inc.
Wholesale-Factory Warehouse Distributor
1601 7th Ave N, Fargo, ND 58102
Phone (701) 281-1980
ND 800-342-4709 Other States 800-437-4604


| FARM SUPPLIES | | | | | |
|---|--------|-----------|-------------|----------|-------|
| | Part # | Qty Order | Description | Size | Price |
|  | | | ladder | 32" | \$52 |
|  | | | ladder | 44" | \$61 |
|  | | | bin seal | 5 gal | \$290 |
|  | | | poly fabric | 4" | \$60 |
|  | | | silicone | 10 oz | \$11 |
|  | | | quick clamp | 12" | \$57 |
|  | | | quick clamp | 14" | \$68 |
|  | | | quick clamp | 18" | \$81 |
| | | | quick clamp | 24" | \$91 |
| | | | fan cover | 12" | \$39 |
| | | | fan cover | 18" | \$61 |
| | | | fan cover | 24" | \$94 |
| | | | fan cover | 28" | \$109 |
| | | | grain port | 18" | \$242 |
| | | | Poly Hopper | Triangle | \$178 |
| | | | Poly Hopper | Round | \$237 |

Prices subject to change without notice.

FARM SUPPLIES



| Part# | Qty Order | Description | Diameter | Price |
|---------|-----------|-----------------------|--------------------|-------|
| 9851873 | | Angle Ring | 12" | \$74 |
| 9747790 | | Angle Ring | 14" | \$44 |
| 9851881 | | Angle Ring | 18" | \$66 |
| 9851899 | | Angle Ring | 24" | \$69 |
| 9701011 | | Angle Ring | 28" | \$79 |
| T1871 | | Transition | 18" | \$324 |
| T2411 | | Transition | 24" | \$426 |
| T2811 | | Transition | 28" | \$493 |
| T129-R | | Conversion to Keho | 12" round - 9"x14" | \$191 |
| T189-R | | Conversion to Keho | 18" round - 9"x14" | \$242 |
| T249-R | | Conversion to Keho | 24" round - 9"x14" | \$301 |
| T129-T | | Conversion to Edwards | 12" round - 9"x14" | \$191 |
| T189-T | | Conversion to Edwards | 18" round - 9"x14" | \$242 |
| T249-T | | Conversion to Edwards | 24" round - 9"x14" | \$301 |
| T1288 | | Reducer | 12-12 | \$86 |
| T1412 | | Reducer | 14-12 | \$107 |
| T1812 | | Reducer | 18-12 | \$146 |
| T2412 | | Reducer | 24-12 | \$231 |
| T24182 | | Reducer | 24-18 | \$368 |
| T28242 | | Reducer | 28-24 | \$384 |



**Low Temp
Variable Heater
Grain Drying System**

| Model# | QTY. ORDER | Price |
|-----------|------------|---------|
| MSI75-125 | | \$1,219 |

Model# MSI75-125
(Heater and Mixer Only)

Features

- Mounts on the upstream side of any configuration of fans without separating the fan from the ducting.
- Heater and mixer can be carried by one person.
- Install in minutes using the load binder mounting system.
- 75,000 to 125,000 BTU variable heater.
- Comes with 10' hose and regulator.
- Uses Propane Vapor only.
- Optimum temperature rise is 5° to 40° F above the outside air temperature depending on the time of year and fan size (1 1/2 hp minimum to 15 hp maximum) used.
- 1 year limited warranty.



GOOSENECK ROOF VENTS
70° Vent Part# GS-1570 \$114 ea.
 Bird proof screen, 18"X18" Base
 Packaged 2/box.
90° Vent Part# T1515-90 \$99 ea.
 Bird proof screen, 18"X18" Base
 Packaged 1/box

Freight: F.O.B Fargo, ND
Terms: Cash

Prices subject to change without notice.
www.malmsupplyinc.com

FARM SUPPLIES

Never climb your bins again!



LevALERT Bin Level Indicator

When your bin material reaches the LevALERT™ indicator, it pushes against the rubber activator, turning the color tube from black to a bright yellow color. When material recedes, it automatically darkens again - ready for the next fill.

Shipping weight 4 lbs.....**Part# LEV-760.....\$140**



REMOTE BIN LIDS

Easy to open spring loaded closure.

NOTE:

One **Part# CK40** is required for each L20 - L29 Lid.

One **Part# CK55** is required for the L30 Lid.



BNF27 - Convert Small Center Hole to larger 27" opening.

| Part# | Description | Wt. | Price |
|-------|--|-----|----------|
| L20 | INLAND, Opening-18", Lid Size-20" | 20 | \$205.00 |
| L22 | WESTEEL ROSCO, Opening-20", Lid Size-22" | 22 | \$205.00 |
| L24 | BUTLER/GOEBEL, Opening-22 1/4", Lid Size-24" | 25 | \$222.00 |
| L25 | BUTLER, Opening-22 1/4"-23 3/4", Lid Size-25" | 26 | \$222.00 |
| L27 | MCCLEOD, Opening-25", Lid Size-27" | 29 | \$274.00 |
| L29 | BEHLEN, Opening-27 1/4", Lid Size-29" | 33 | \$274.00 |
| L30 | Bin Lid, Opening-28", Lid Size-30", Uses CK55 Cable | 37 | \$339.00 |
| CK40 | Cable Kit Replacement #3/32 cable | 2 | \$14.00 |
| CK55 | Cable Kit Replacement #3/32 cable, | 2 | \$14.00 |
| R30 | Reducers 30", Opening-27 1/4", Lid Size-29" | 17 | \$224.00 |
| R32 | Reducers 32", Opening-27 1/4", Lid Size-29" | 18 | \$224.00 |
| R34 | Reducers 34", Opening-27 1/4", Lid Size-29" | 19 | \$224.00 |
| R36 | Reducers 36", Opening-27 1/4", Lid Size-29" | 27 | \$224.00 |
| R37 | Reducers 37", Opening-27 1/4", Lid Size-29" | 28 | \$252.00 |
| BRK | Brock Reducer, 39 5/8" w/2" Lip, Opening-39 1/2", Lid Size-29" | 29 | \$315.00 |
| R40 | Reducers 40", Opening-27 1/4", Lid Size-29" | 32 | \$252.00 |
| R42 | Reducers 42", Opening-27 1/4", Lid Size-29" | 29 | \$285.00 |
| R46 | Reducers 46", Opening-27 1/4", Lid Size-29" | 40 | \$315.00 |
| SM | SM Stormor Reducer, 36 1/2" Flange, Opening-23", Lid Size-25" | 28 | \$252.00 |
| LG | LG StorMor Reducers, 44" Flange, Opening-27 1/4", Lid Size-29" | 35 | \$315.00 |
| XLG | LG StorMor Reducers, 53" Flange, Opening-27 1/4", Lid Size-29" | 50 | \$315.00 |
| MFS | MFS Reducer, 48" Flange, Opening-27 1/4", Lid Size-29" | 45 | \$315.00 |
| BNF27 | Bin Neck W/Flange, Opening-27 1/4", Lid Size-29" | 40 | \$224.00 |
| LWS | Lid Winch Stainless | 4 | \$73.00 |



Grain Probe

| Part# | Description | Qty Order | Price |
|-------|--|-----------|-------|
| GPST2 | Grain Probe Kit (includes Thermometer, 6 oz. Grain Probe, 15' Handle Set & BLACK Vinyl Canvas Carrying Case) | | \$298 |



Horizontal Powerheads

The innovative motor mount is the easy off style and has the over-center belt tightener as standard. The 2-belt cast aluminum driven sheave, the drive bell(s), and the belt guard are all included.

| 6" Horizontal Powerhead | | 8" Horizontal Powerhead | | 10" Horizontal Powerhead | | | | |
|-------------------------|-----|-------------------------|-------------|--------------------------|-------|-------------|-------|-------|
| Part# | Wt. | Price | Part# | Price | Part# | Wt. | Price | |
| 602-00-1102 | 80 | \$671 | 802-00-1102 | 94 | \$698 | 102-00-1102 | 115 | \$924 |



25 Degree Inclined Powerheads

Inclined Powerheads are complete with tubular adjustable stand, electric motor mount, driven pulley, drive belts and drive shields.

| DESCRIPTION | PART# | Wt. | Price |
|-------------------------------|-------------|-----|---------|
| 6" to 8" Inclined Powerhead | 602-68-4002 | 152 | \$1,325 |
| 8" to 10" Inclined Powerhead | 802-81-4002 | 216 | \$1,550 |
| 10" to 12" Inclined Powerhead | 102-11-4002 | 265 | \$2,228 |



Unload Screws

Unload screws are all right hand, full pitch and are welded to the screw shaft every 1-1/2 pitches. Drilled to fit most power head output shafts. Never start and stop auger under full load.


| Bin | | 8" | | 10" | | | |
|------|-----------|-------------|-----|-------|-------------|-----|-------|
| Dia. | Length | Part# | Wt. | Price | Part# | Wt. | Price |
| 19" | 11' - 10" | 800-19-3010 | 48 | \$228 | | | |
| 21" | 12' - 10" | 800-21-3010 | 52 | \$247 | | | |
| 24" | 14' - 4" | 800-24-3010 | 58 | \$269 | 100-24-3007 | 86 | \$371 |
| 27" | 15' - 10" | 800-27-3010 | 64 | \$290 | 100-27-3007 | 96 | \$406 |
| 30" | 17' - 4" | 800-30-3010 | 70 | \$323 | 100-30-3007 | 105 | \$484 |
| 33" | 18' - 10" | 800-33-3010 | 76 | \$344 | 100-33-3007 | 114 | \$521 |
| 36" | 20' - 4" | 800-36-3010 | 82 | \$368 | 100-36-3007 | 123 | \$561 |
| 42" | 23' - 4" | 800-42-3010 | 94 | \$424 | 100-42-3007 | 141 | \$634 |
| 48" | 26' - 4" | 800-48-3010 | 106 | \$475 | 100-48-3007 | 159 | \$736 |



Unload Tube Accessories

Bin wall plates flash the area in the bin wall when an opening is cut to accommodate an unload tube. Hopper flanges flash the area in the drying/aeration floor, where an opening is cut to allow the grain to enter the tube.

| 8" | | 10" | | | | | |
|------------------------|-------------|-----|-------|-------------|-------|-----|-------|
| Description | Part# | Wt. | Price | Description | Part# | Wt. | Price |
| Bin Wall plate | 800-14-2000 | 7 | \$50 | 100-16-2000 | | 11 | \$50 |
| Hopper Flange(12x24x2) | 200-24-2002 | 8 | \$54 | 200-24-2002 | | 8 | \$54 |



Double Hopper Unload Tube

Bin unload tubes are completely assembled and ready for installation in either a poured concrete foundation, or installed under a drying/aeration floor. Roller slide gates, sweep pivot pin, control rods, rodent cover and an industrial enamel finish are all included as standard equipment.

| Bin | | 8" | | 10" | | | |
|-----------|----------|-------------|-----|---------|-------------|-----|---------|
| Dia. | Length | Part# | Wt. | Price | Part# | Wt. | Price |
| 18' - 19' | 12' - 0" | 800-19-1002 | 187 | \$940 | | | |
| 21' | 13' - 0" | 800-21-1002 | 194 | \$967 | | | |
| 24' | 14' - 6" | 800-24-1002 | 212 | \$1,009 | 100-24-1002 | 234 | \$1,208 |
| 27' | 16' - 0" | 800-27-1002 | 222 | \$1,053 | 100-27-1002 | 248 | \$1,272 |
| 30' | 17' - 6" | 800-30-1002 | 232 | \$1,097 | 100-30-1002 | 257 | \$1,337 |
| 33' | 19' - 0" | 800-33-1002 | 242 | \$1,141 | 100-33-1002 | 269 | \$1,401 |
| 36' | 20' - 6" | 800-36-1002 | 252 | \$1,185 | 100-36-1002 | 281 | \$1,466 |
| 42' | 23' - 6" | 800-42-1002 | 272 | \$1,274 | 100-42-1002 | 305 | \$1,594 |
| 48' | 26' - 6" | 800-48-1002 | 285 | \$1,362 | 100-48-1002 | 330 | \$1,723 |



Bin Sweeps (electric)

Bin Sweeps include the formed steel backboard, drive wheel, easy off motor mount, driven sheaves, belts and belt guard. Use smallest diameter motor sheave that can be installed on the drive motor, this allows for slower sweep auger rotation.

| 5" for 6" tubes | | 5" for 8" tubes | | 7" for 10" tubes | | | | |
|-----------------|-------------|-----------------|---------|------------------|-------------|-----|---------|-----|
| Dia. | Part# | Wt. | Price | HP | Part# | Wt. | Price | HP |
| 18" | 502-22-1100 | 86 | \$870 | 1.5 | 502-22-1100 | 86 | \$870 | 1.5 |
| 19" | 502-22-1100 | 86 | \$870 | 1.5 | 502-22-1100 | 86 | \$870 | 1.5 |
| 21" | 502-22-1100 | 86 | \$870 | 2.0 | 502-22-1100 | 86 | \$870 | 2.0 |
| 24" | 502-27-1100 | 109 | \$913 | 2.0 | 502-27-1100 | 109 | \$913 | 2.0 |
| 27" | 502-27-1100 | 109 | \$913 | 2.0 | 502-27-1100 | 109 | \$913 | 2.0 |
| 30" | 502-36-1100 | 149 | \$1,015 | 3.0 | 502-36-1100 | 149 | \$1,015 | 3.0 |
| 33" | 502-36-1100 | 149 | \$1,015 | 3.0 | 502-36-1100 | 149 | \$1,015 | 3.0 |
| 36" | 502-36-1100 | 149 | \$1,015 | 3.0 | 502-36-1100 | 149 | \$1,015 | 3.0 |
| 42" | 502-42-1100 | 169 | \$1,525 | 3.0 | 502-42-1100 | 169 | \$1,525 | 3.0 |
| 48" | 502-48-1100 | 199 | \$1,860 | 3.0 | 502-48-1100 | 199 | \$1,860 | 3.0 |
| wheel | 702-00-0010 | 8 | \$110 | | 702-00-0010 | 8 | \$110 | |



Center Sump Clump Buster

Fits over most Center Sumps for Grain Bin Unload Tubes and Powersweeps.

Center Sump Clump Buster

| Part# | Wt. | Price |
|--------|-----|-------|
| T11518 | 30 | \$167 |

Call for U-Trough Powersweep prices

Prices subject to change without notice.


Freight: F.O.B Fargo, ND
Terms: Cash
800-437-4604

Replacement Wheels for Grain Saver Carry-in sweeps and Powersweeps.



| | | | |
|---------------|--------------------------------------|-----|-------|
| 702-00-0010 | 6 7/8" for 5" screw, 2"w x 1"Bore | 8# | \$110 |
| 902-00-0010 | 9 3/8" for 7" screw, 2"w x 1"Bore | 10# | \$120 |
| 102-00-0010 | 10 13/16" for 9" screw, 2"w x 1"Bore | 12# | \$177 |
| 802-00-1001RW | 12" for 5:1 Reduction Wheel | 12# | \$123 |
| 802-00-1003RW | 20" for 10:1 Reduction Wheel | 20# | \$162 |

(5 to 1) & (10 to 1) Reduction Wheel for 8" & 10" Grain Saver Powersweeps.



| | | |
|-------------|--|-------|
| 802-00-1001 | 5:1 Reduction Wheel End Drive Kit-12" Wheel | \$698 |
| 802-00-1003 | 10:1 Reduction Wheel End Drive Kit-20" Wheel | \$977 |

Upper and Lower Gearboxes for Grain Saver Powersweeps.



| | | |
|-------------|------------------------------|-------|
| 002-00-4001 | Lower Gearbox for Powersweep | \$599 |
| 002-00-4002 | Upper Gearbox for Powersweep | \$526 |

**ALL PRICES IN
THIS FLYER SUB-
JECT TO CHANGE
WITHOUT NOTICE.**


**Malme Supply Inc.
1601 7th Ave N.
Fargo, ND 58102
1-800-437-4604**

Malme Supply Inc.
 1601 7th Ave N
 Fargo, ND 58102






Prsrt Std
 U.S. Postage
 Paid
 Permit 671
 Fargo, ND

2021 CALDWELL IN SEASON
Don't Miss out!



The BEST Caldwell In season Pricing in the Area.

| Heater Parts for MSI75-125 Heaters | | |
|---|---|---|
|  |  |  |
| H-19H | Red Safety Valve | \$65 |
| M3012 | Thermocouple | \$19 |
| MREG | Regulator | \$34 |
| H-21H | Piezo Spark Ignitor Set | \$32 |
| VT3-12S-AA | Vapor Torch w/Nozzles | \$112 |

Malme Supply Inc.
 1601 7th Ave N.
 Fargo, ND 58102
 1-800-437-4604